AIR CONDITIONING & REFRIGERATION NEWS

ENGINEERING DEPT. PUBLIC LIBRARY MAR 6 - 1941 DETROIT

as second-class matter Aug. 1, 1927. Trade Mark Registered U. S. Patent Office. Copyright, 1941, by Business News Publishing Co.

VOL. 32, NO. 10, SERIAL NO. 624
ISSUED EVERY WEDNESDAY

DETROIT, MICHIGAN, MARCH 5, 1941

IN TWO PARTS, PART TWO
FOUR DOLLARS PER YEAR

1941 SPECIFICATIONS

Comparative Data on 184 Models of Household Electric Refrigerators Offered by 21 Companies

Trade Name	*Company*	*Page*
Coldspot	Sunbeam Electric Mfg. Co.	3
Crosley	The Crosley Corp.	4
Frigidaire	Frigidaire Div., General Motors Corp.	5
Gale	Gale Products	6
General Electric	General Electric Co.	7
Gibson	Gibson Electric Refrigerator Corp.	8
Hotpoint	The Edison General Electric Appliance Co.	9
Kelvinator	Kelvinator Div., Nash-Kelvinator Corp.	10
Leonard	Leonard Div., Nash-Kelvinator Corp.	11
Mayflower	Gale Products	12
Norge	Norge Div., Borg-Warner Corp.	13
Potter	Potter Refrigerator Corp.	14
Stewart-Warner	Stewart-Warner Corp.	15
Westinghouse	Westinghouse Electric & Mfg. Co.	16

The above specifications are Copyright, 1941, by Refrigeration Division, National Electrical Manufacturers Association, 155 East 44th St., New York, N. Y. Reprinted by special permission.

Copeland	Copeland Refrigeration Corp.	17
Dayton	Heinz & Munschauer	18
Evers	Evers Hardware Co.	17
Gilfillan	Gilfillan Bros., Inc.	19
Jewett	Jewett Refrigerator Co.	20
Montgomery Ward	Montgomery Ward & Co.	20
O'Keefe	O'Keefe & Merritt	19

Note: Philco Radio & Television Corp. declined to submit specifications of Philco refrigerators in the form requested, a statement from the company declaring that in their opinion statistical data and dimensions on the models given in the specifications form adopted by Nema are overshadowed by other features in refrigerator design and construction.

AIR CONDITIONING & REFRIGERATION NEWS

The Newspaper of the Industry

JANUARY 22, 1941

Written to be Read on Arrival

ALL-INDUSTRY SHOW TOPS ALL RECORDS

Supply, Rather than Price, Seen as Big '41 'If'

Dept. Store Man Admit Sales Will Soar—if Product Supply Lasts

Louis Service Man

Plesskett Elected RSES President

Jobbers Adopt Plan To Study Business Costs

Additional Projects Are Considered at Annual N.R.S.J.A. Meeting

N.A.C.A. to Admit Engineers, Page Again President

9,286 Visitors Jam Exhibits; Buying Is Brisk

1,303 Attend All-Industry Banquet; Plans For 1942 Show Started

Engineers, Salesmen Seen As 'Teammates' Working For Users

Committee Formed To Set Locker Standards

The Spirit of the All-Industry Show—Customer Tells Supplier

Kelvinator Gets U.S. Order for 25,000 Refrigerators

AIR CONDITIONING & REFRIGERATION NEWS

★ *Established in 1926*

★ *The 'Newspaper of the Industry'*

★ *Published every Wednesday*

★ *Read by thousands of appliance dealers everywhere*

★ *Let the News work for YOU*

★ *ORDER NOW*

Air Conditioning & Refrigeration News
5229 Cass Ave., Detroit, Mich.

Gentlemen: Enter my subscription for

☐ 1 year (52 issues), $4.00.

☐ 2 years (104 issues), $7.00.

☐ 6 months (26 issues), $2.00.

☐ $..... enclosed. ☐ I will remit $..... upon receipt of bill.

Name .....

Address .....

City..... State.....

1125

Don't Miss a Thing!

If a thing is worth doing, it is worth doing well. And the most successful business men are those who apply that rule in getting information about their business—they "don't miss a thing."

You no doubt receive a lot of free reading matter. Some of it may touch one phase of your business, other pieces may treat a second phase. But why be satisfied with "a smattering of ignorance," with just PIECES of the knowledge you need? Why not get ALL the pieces, and see them in their relation to the WHOLE?

Firms you represent no doubt provide you with information about their products and activities. But why not learn what the OTHERS are doing?

To get the WHOLE PICTURE, to know the latest about every branch of the industry, to keep up with your competitors and their plans, read Air Conditioning & Refrigeration News. It is the ONLY publication devoted to every phase of the refrigeration and air conditioning industry.

Every week for a solid year—52 BIG ISSUES—the News will come to you for just $4.00. You'll find it the most profitable investment of 1941.

ORDER NOW

Business News Publishing Co.
5229 Cass Ave., Detroit, Mich.

COLDSPOT

Name of Manufacturer	Sunbeam Electric Mfg. Co., Evansville, Indiana (Cabinets Sunbeam and Seeger)							
Model Number	41124	41226	41326	41336	41426	41238	41338	41428
Exterior Cabinet Finish	Dulux							
CAPACITY (NEMA Rating)								
Net Food Storage, Cubic Feet	4.2	6.5	6.5	6.4	6.3	8.4	8.4	8.2
Total Shelf Area, Square Feet	9.37	13.2	13.0	12.4	11.07	17.2	17.2	15.8
Interior Finish	Porcelain							
Overall Height, Inches	49 13/16	56 1/16	59 29/32	59 29/32	59 29/32	63 5/8	64 1/4	63 5/8
Overall Width, Inches	23 7/8	30	30 1/4	30 1/4	30 1/4	32 1/2	32 1/2	32 1/2
Overall Depth, Inches	23 7/16	27 3/16	28 1/2	28 1/2	28 1/2	28 17/32	28 13/32	28 17/32
Inside Height, Inches	27 1/32	31 1/16	33 13/16	33 13/16	33 13/16	38 5/32	38 5/32	38 5/32
Inside Width, Inches	19 1/16	23 15/16	23 7/16	23 7/16	23 7/16	25 5/8	25 5/8	25 5/8
Inside Depth, Inches	15 7/16	16 7/32	15 13/16	15 13/16	15 13/16	16 1/8	16 1/8	16 1/8
Number of Doors	1	1	1	1	1	1	1	1
Insulation	Coldex							
ICE TRAYS								
Total Number of Trays	2	4	5	5	5	5	6	5
Total Weight of Ice (Lbs.)	5	7 lb. 10 oz.	10 1/4	10 lb. 14 oz.	10 1/4	11 lb. 6 oz.	14 3/4	11 lb. 6 oz.
Total Number of Cubes	64	96	102	91	102	105	126	105
Number of Trays/Lbs. Each	2-2 1/2	2-2 1/2	2-1 lb. 5 oz.	4-1 3/4	2-1 lb. 5 oz.	2-2	4-1 3/4	2-2
Material of Above	Aluminum							
Number of Trays/Lbs. Each	....	2-1 lb. 5 oz.	1-3 lb. 14 oz.	1-3 lb. 14 oz.	1-3 lb. 14 oz.	1-3 lb. 14 oz.	2-3 lb. 14 oz.	1-3 lb. 14 oz.
Material of Above	Aluminum							
Number of Trays/Lbs. Each	....	....	1-2	....	1-2	2-1 3/4	....	2-1 3/4
Number of Trays/Lbs. Each	....	....	1-1 3/4	....	1-1 3/4	....	....	....
Number of Special Trays	....	....	....	....	....	....	....	....
COMPRESSOR								
Location	Above							
Open or Sealed	Sealed							
Reciprocating or Rotary	Rotary							
Refrigerant Used	Sulphur Dioxide							
CONDENSER								
Type	Single Pass Finned Tube							
How Cooled	Forced Air Circulation							
WEIGHT COMPLETE REFRIGERATOR								
Net Weight (Lbs.)	192*	286	287	298	336*	336*	356*	396*
Shipping Weight (Lbs.)	255*	355	362	371	411*	418*	442*	482*
GUARANTEE								
Cabinet, Shelves, Trays and Accessories	One Year							
Refrigeration System Only	Five Year Protection Plan							
Controls	One Year							

*Estimated

MAR 12 1941

CROSLEY

Name of Manufacturer	The Crosley Corporation, Cincinnati, Ohio							(Moist-Kold Models)
Model Number	A-341	A-441	A-641	S-641	SE-641	SE-841	DM-641	DM-841
Exterior Cabinet Finish	Dulux							
CAPACITY (NEMA Rating)								
Net Food Storage, Cubic Feet	3.0	4.0	6.0	7.2	7.2	9.0	6.7	8.5
Total Shelf Area, Square Feet	7.56	9.84	13.24	13.81	13.81	19.14	15.61	20.39
Interior Finish	Porcelain							
Overall Height, Inches	37 1/8	51 1/8	55 1/2	59 1/2	59 1/2	63 3/4	59 1/2	63 3/4
Overall Width, Inches	23 7/8	23 7/8	28	30 3/4	30 3/4	33 1/2	30 3/4	33 1/2
Overall Depth, Inches	24 5/16	25 1/2	25 3/4	23 7/8	23 7/8	24 1/8	23 7/8	24 1/8
Inside Height, Inches	18 1/2	27 5/8	28 3/4	32 3/8	32 3/8	36 7/8	32 5/8	36 7/8
Inside Width, Inches	18 3/8	17 1/8	22 1/2	24 1/2	24 1/2	26 3/4	24 1/2	26 3/4
Inside Depth, Inches	17 1/4	16 1/8	17 1/2	16 9/16	16 9/16	16 9/16	16 9/16	16 9/16
Number of Doors	1	1	1	1	1	1	1	1
Insulation	Approved Genuine Fiberglas							
ICE TRAYS								
Total Number of Trays	2	2	3	4	4	5	5	5
Total Weight of Ice (Lbs.)	4	4	6	8	9.2	12	12	12
Total Number of Cubes	28	28	42	56	84	56	56	84
Number of Trays/Lbs. Each	2-2	2-2	3-2	4-2	3-2	4-2	4-2	4-2
Material of Above	Aluminum Quick Release Type							
Number of Trays/Lbs. Each	....	....	....	....	1-3.2	1-4.0	1-4.0	1-4.0
Material of Above	....	....	....	....	Aluminum			
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....	....
Number of Special Trays	2	2	3	4	4	5	5	5
COMPRESSOR								
Location	Bottom Mounted							
Open or Sealed	Hermetically Sealed							
Reciprocating or Rotary	Reciprocating Scotch Yoke							
Refrigerant Used	Freon-12							
CONDENSER								
Type	Seamless Tube and Fin							
How Cooled	Convection Air							
WEIGHT COMPLETE REFRIGERATOR								
Net Weight (Lbs.)	186	213	237	252	264	293	276	321
Shipping Weight (Lbs.)	235	265	292	316	329	363	341	390
GUARANTEE								
Cabinet, Shelves, Trays and Accessories	One Year							
Refrigeration System Only	Five Year Protection Plan							
Controls	One Year							

FRIGIDAIRE

Name of Manufacturer ..... Frigidaire Division, General Motors Corporation, Dayton, Ohio

	STANDARD SERIES								COLD-WALL SERIES						
Model Number	S-3	S-4	R-6	S-6	L-6	M-6	MP-6	L-8	C-6	CP-6	C-9	CD-6	CPD-6	CPD-9	CPD-13
Exterior Cabinet Finish	Dulux	Dulux	Dulux	Dulux	Dulux	Dulux	Porcelain	Dulux	Dulux	Porcelain	Dulux	Dulux	Porcelain	Porcelain	Porcelain
CAPACITY (NEMA Rating)															
Net Food Storage, Cubic Feet	3.1	4.1	6.0	6.1	6.9	6.9	6.9	8.1	6.8	6.8	9.1	6.3	6.3	8.5	13.5
Total Shelf Area, Square Feet	6.7	8.5	11.4	11.5	13.5	14.2	14.2	16.5	15.0	15.0	19.1	14.3	14.3	17.5	27.1
Interior Finish	← Porcelain →														
Overall Height, Inches	34 3/4	50 1/4	55 3/8	55 3/8	58 1/2	60	60	60	60	60	64 3/8	60	60	64 3/8	64 3/4
Overall Width, Inches	24 1/4	24 1/4	29 1/8	29 1/8	30 15/16	30 15/16	30 15/16	30 15/16	30 15/16	30 15/16	33 1/2	30 15/16	30 15/16	33 1/2	38 5/8
Overall Depth, Inches	22 3/4	23 15/16	24 11/16	24 11/16	25 3/8	25 3/8	25 3/8	25 1/4	25 7/16	25 7/16	27 3/16	25 7/16	25 7/16	27 3/16	30 1/2
Inside Height, Inches	21 1/16	27 3/8	30 5/8	30 5/8	35 5/8	35 5/8	35 5/8	36 5/8	35 5/8	35 5/8	38 5/8	35 5/8	35 5/8	38 5/8	39 15/16
Inside Width, Inches	19 1/8	19 1/8	23 9/16	23 9/16	24 1/16	24 1/16	24 1/16	25 1/16	24 1/16	24 1/16	26 5/8	24 1/16	24 1/16	26 5/8	31
Inside Depth, Inches	14 1/8	14 1/8	15 1/8	15 3/8	14 1/4	14 1/4	14 1/4	15 3/4	14 1/4	14 1/4	15 7/8	14 1/4	14 1/4	15 7/8	20 1/4
Number of Doors	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Insulation	← Special Frigidaire →														
ICE TRAYS															
Total Number of Trays	2	2	3	3	3	3	3	5	3	3	5	5	5	5	7
Total Weight of Ice (Lbs.)	4	4	8	8	8	8	8	12	8	8	12	12	12	12	18
Total Number of Cubes	28	28	64	64	56	56	56	84	56	56	84	84	84	84	136
Number of Trays/Lbs. Each	2-2	2-2	2-2	2-2	2-2	2-2	2-2	4-2	2-2	2-2	4-2	4-2	4-2	4-2	6-2.3
Material of Above	← Aluminum Quickube Trays →														
Number of Trays/Lbs. Each	....	....	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4
Material of Above	....	....	Aluminum Twin-Tray		← Aluminum Quickube Twin-Trays →										
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Number of Special Trays	2	2	2	2	3	3	3	5	3	3	5	5	5	5	7
COMPRESSOR															
Location	← Below →														
Open or Sealed	← Sealed →														
Reciprocating or Rotary	← Rotary →														
Refrigerant Used	← F-114 →														F-12
CONDENSER															
Type	← Fin →														
How Cooled	← Natural Draft →														Forced Air
WEIGHT															
COMPLETE REFRIGERATOR															
Net Weight (Lbs., Approx.)	172	208	239	240	274	273	297	315	304	321	345	306	327	399	....
Shipping Weight (Lbs., Approx.)	217	255	286	288	312	337	395	357	352	407	420	360	418	530	788
GUARANTEE															
Cabinet, Shelves, Trays and Accessories	← One Year Warranty →														
Refrigeration System Only	← Five Year Protection Plan →														
Controls	← One Year Warranty →														

GALE

Name of Manufacturer	Gale Products—Division of Outboard Marine and Mfg. Co., Galesburg, Ill.						
Model Number	GC-424	GR-650	GR-652	GC-654	GC-656	GS-658	GC-884
Exterior Cabinet Finish	Dulux						
CAPACITY (NEMA Rating)							
Net Food Storage, Cubic Feet	4.2	6.5	6.5	6.5	6.5	6.3	8.8
Total Shelf Area, Square Feet	9.0	11.6	12.5	13.8	14.1	14.7	17.7
Interior Finish	Porcelain						
Overall Height, Inches	51 1/8	59	59	59	59	59 1/8	62 5/8
Overall Width, Inches	24 3/8	30	30	30	30	30	31 7/8
Overall Depth, Inches	26 1/4	27	27	27	27	27	28
Inside Height, Inches	26 1/2	33	33	33	33	33	38 1/2
Inside Width, Inches	18 7/8	23 7/16	23 7/16	23 7/16	23 7/16	23 7/16	25 5/16
Inside Depth, Inches	16 9/16	16 1/16	16 1/16	16 1/16	16 1/16	16 1/16	16 11/16
Number of Doors	1	1	1	1	1	1	1
Insulation	Balsam Wool						
ICE TRAYS							
Total Number of Trays	2	1	3	3	3	5	5
Total Weight of Ice (Lbs.)	4.2	4.2	8.4	8.4	8.4	12.6	12.6
Total Number of Cubes	28	28	56	56	56	84	84
Number of Trays/Lbs. Each	2-2.1	....	2-2.1	2-2.1	2-2.1	4-2.1	4-2.1
Material of Above	Aluminum E-Z Out Tray						
Number of Trays/Lbs. Each	....	1-4.2	1-4.2	1-4.2	1-4.2	1-4.2	1-4.2
Material of Above	Double Width Aluminum E-Z Out Tray						
Number of Trays/Lbs. Each	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....
Number of Special Trays	2	1	3	3	3	5	5
COMPRESSOR							
Location	Below						
Open or Sealed	Sealed						
Reciprocating or Rotary	Reciprocating						
Refrigerant Used	Freon 12						
CONDENSER							
Type	Special Finned Tube						
How Cooled	Natural Draft						
WEIGHT COMPLETE REFRIGERATOR							
Net Weight (Lbs.)	208	257	261	271	274	280	334
Shipping Weight (Lbs.)	255	312	317	327	330	335	394
GUARANTEE							
Cabinet, Shelves, Trays and Accessories	One Year						
Refrigeration System Only	Five Year Protection Plan						
Controls	One Year						

GENERAL ELECTRIC

Name of Manufacturer..... General Electric Company, Bridgeport, Connecticut

Model Number	B-3	BY-4	LB-3	LB-4	LB-6-41	LBX-6-41	JB-6-41	JB-8-41	BH-7-41	B-6-41	B-7-41	B-8-41	PJB-6-41	PB-6-41	PB-7-41	PB-8-41	PB-12	PB-16
Exterior Cabinet Finish	Glyptal												Porcelain					
CAPACITY (NEMA Rating)																		
Net Food Storage, Cubic Feet	2.8	4.0	3.2	4.3	6.2	6.2	6.2	8.2	7.0	6.2	7.0	8.2	6.2	6.2	7.0	8.2	12.0	16.1
Total Shelf Area, Square Feet	6.7	9.5	7.7	8.6	11.7	12.5	12.5	16.4	15.0	13.9	15.0	16.1	12.5	13.9	15.0	16.1	28.7	34.8
Interior Finish	Porcelain																	
Overall Height, Inches	36	35 1/16	43 15/16	50 15/16	56 1/2	56 1/2	57 1/4	61 3/8	59	57 1/4	59	61 3/8	57 1/4	57 1/4	59	61 3/8	67 1/4	67 1/4
Overall Width, Inches	23 3/4	41 1/2	24	24 1/4	30	30	30	33	31	30	31	33	30	30	31	33	40	49
Overall Depth, Inches	23 1/4	24 7/8	25 5/8	26	26 5/8	26 5/8	26 3/4	28 3/16	28 3/16	26 3/4	28 3/16	28 3/16	26 3/4	26 3/4	28 3/16	28 3/16	32 3/8	32 3/8
Inside Height, Inches	17 1/16	28 1/2	22 7/8	28 1/2	32 13/32	32 13/32	32 13/32	36 1/32	33 5/8	32 13/32	33 5/8	36 1/32	32 13/32	32 13/32	33 5/8	36 1/32	37 1/16	37 1/16
Inside Width, Inches	20 1/4	18	18	18	23	23	23	26	24	23	24	26	23	23	24	26	33 1/2	42 1/2
Inside Depth, Inches	15 7/8	14 11/16	14 11/16	15 1/16	16	16	16	16 7/8	16 7/8	16	16 7/8	16 7/8	16	16	16 7/8	16 7/8	19 1/4	19 1/4
Number of Doors	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
Insulation	Thermocraft																	
ICE TRAYS																		
Total Number of Trays	2	2	2	2	4	4	4	4	5	5	5	5	4	5	5	5	9	9
Total Weight of Ice (Lbs.)	4	4	4	4	8	8	8	8	12	12	12	12	8	12	12	12	20	20
Total Number of Cubes	40	40	40	40	80	80	80	80	120	120	120	120	80	120	120	120	200	200
Number of Trays/Lbs. Each	2-2	2-2	2-2	2-2	4-2	4-2	4-2	4-2	4-2	4-2	4-2	4-2	4-2	4-2	4-2	4-2	8-2	8-2
Material of Above	Aluminum																	
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....	1-4	1-4	1-4	1-4	....	1-4	1-4	1-4	1-4	1-4
Material of Above	....	....	....	....	....	....	....	....	Aluminum				....	Aluminum				
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Number of Special Trays	2	2	2	2	4	4	4	4	5	5	5	5	4	5	5	5	9	9
COMPRESSOR																		
Location	Below	Beside	Below															
Open or Sealed	Hermetically Sealed																	
Reciprocating or Rotary	Reciprocating																	
Refrigerant Used	Sulphur Dioxide																Freon-12	
CONDENSER																		
Type	Plate	Finned Tube	Plate														Finned Tube	
How Cooled	Fan		Natural Draft														Fan	
WEIGHT COMPLETE REFRIGERATOR																		
Net Weight (Lbs.) Approx.	188	198	187	200	234	273	290	335	303	312	326	373	302	322	333	383	600	665
Shipping Weight (Lbs.) Approx.	208	245	212	223	265	308	332	384	350	347	373	426	344	358	380	436	700	770
GUARANTEE																		
Cabinet, Shelves, Trays and Accessories	One Year																	
Refrigeration System Only	One Year Plus Additional Four Year Replacement Contract																	
Controls	One Year																	

GIBSON

Name of Manufacturer	Gibson Electric Refrigerator Corporation, Greenville, Mich.								
Model Number	SF-791	SF-691	F-681	F-6721	F-671	CU-631	C-631	A-471	A-331
Exterior Cabinet Finish	Dulux								
CAPACITY (NEMA Rating)									
Net Food Storage, Cubic Feet	7.14	6.75	6.75	6.73	6.73	6.47	6.45	4.68	3.24
Total Shelf Area, Square Feet	14.05	12.00	12.00	12.00	12.00	11.95	11.47	10.62	6.34
Interior Finish	Porcelain						Dulux	Porcelain	
Overall Height, Inches	61 15/16	58 5/32	58 5/32	56 29/32	56 29/32	54 3/8	54 3/8	50 5/8	34 1/2
Overall Width, Inches	30 1/8	30 1/8	30 1/8	30 1/8	30 1/8	30 1/8	30 1/8	24	23 5/8
Overall Depth, Inches	26 1/2	26 1/2	27	27	27	27	27	23 5/16	25 1/2
Inside Height, Inches	39 11/16	35 29/32	35 29/32	35 29/32	35 29/32	32 1/8	32	31 1/8	18 3/16
Inside Width, Inches	23 5/8	23 5/8	23 5/8	23 5/8	23 5/8	23 5/8	23 5/8	19 5/8	19 5/8
Inside Depth, Inches	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	15 13/16	15 13/16	14 13/16	18 1/16
Number of Doors	One								
Insulation	Thermocraft								
ICE TRAYS									
Total Number of Trays	3	3	3	3	3	3	3	3	3
Total Weight of Ice (Lbs.)	8	8	8	8	8	7	7	4.5	4.5
Total Number of Cubes	56	56	56	56	56	42	42	63	63
Number of Trays/Lbs. Each	2-2	2-2	2-2	2-2	2-2	2-1.5	2-1.5	3-1.5	3-1.5
Material of Above	Anodized Aluminum								
Number of Trays/Lbs. Each	1-4	1-4	1-4	1-4	1-4	1-4	1-4	....	....
Material of Above	Anodized Aluminum								
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....	....	....
Number of Special Trays	3	3	3	3	3	2	2	....	....
COMPRESSOR									
Location	Below								
Open or Sealed	Hermetically Sealed								
Reciprocating or Rotary	Reciprocating								
Refrigerant Used	Freon-12								
CONDENSER									
Type	Finned Coil								
How Cooled	Natural Draft								
WEIGHT COMPLETE REFRIGERATOR									
Net Weight (Lbs.)	305	288	280	273	269	256	244	199	194
Shipping Weight (Lbs.)	379	362	354	346	332	323	309	238	230
GUARANTEE									
Cabinet, Shelves, Trays and Accessories	One Year								
Refrigeration System Only	One Year With Four Year Motor Compressor Contract								
Controls	One Year								

HOTPOINT

Name of Manufacturer..... Edison General Electric Appliance Company, Inc., Chicago, Illinois

Model No.	120 EA3	120 EA4	120 EA6-41	120 EAS6-41	120 EB3	320 EB6-41	120 EB7-41	120 EB8-41	120 EC6-41	120 EC7-41	120 EC8-41	210 EBP6-41	110 ED6-41	110 ED7-41	110 ED8-41	110 ED12-41	110 ED16-41
Exterior Cabinet Finish	Calgloss											Porcelain					
CAPACITY (NEMA Rating)																	
Net Food Storage, Cubic Feet	3.1	4.2	6.2	6.2	2.7	6.2	7.0	8.2	6.2	7.0	8.2	6.2	6.2	7.0	8.2	12.0	16.1
Total Shelf Area, Square Feet	7.7	8.5	11.7	12.5	6.7	12.5	15.0	16.5	13.4	15.0	16.2	12.5	13.4	15.0	16.2	28.6	34.7
Interior Finish	Porcelain																
Overall Height, Inches	43 15/16	50 15/16	56 1/2	56 1/2	36.	57 1/4	58 13/16	61 3/16	57 1/4	58 13/16	61 3/16	57 1/4	57 1/4	58 13/16	61 3/16	67 7/32	67 7/32
Overall Width, Inches	24	24	30	30	23 3/4	30	30 1/2	32 1/2	30	30 1/2	32 1/2	30	30	30 1/2	32 1/2	40	49
Overall Depth, Inches	25 1/8	26	26 3/8	26 3/8	23 1/4	26 5/8	28 1/2	28 1/2	26 7/8	28 1/2	28 1/2	26 5/8	26 7/8	28 1/2	28 1/2	32 13/32	32 13/32
Inside Height, Inches	22 7/8	28 1/2	32 13/32	32 13/32	17 1/16	32 13/32	33 21/32	36 1/32	32 13/32	33 21/32	36 1/32	32 13/32	32 13/32	33 21/32	36 1/32	37 1/16	37 1/16
Inside Width, Inches	18	18	23	23	20 1/4	23	24	26	23	24	26	23	23	24	26	33 1/2	42 1/2
Inside Depth, Inches	14 11/16	15 7/32	15 31/32	16	15 7/8	16	16 7/8	16 7/8	16	16 7/8	16 7/8	16	16	16 7/8	16 7/8	19 15/32	19 15/32
Number of Doors	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
Insulation	Thermocraft																
ICE TRAYS																	
Total Number of Trays	2	2	4	4	2	4	5	4	5	5	5	4	5	5	5	9	9
Total Weight of Ice (Lbs.)	4	4	8	8	4	8	12	8	12	12	12	8	12	12	12	20	20
Total Number of Cubes	40	40	80	80	40	80	120	80	120	120	120	80	120	120	120	200	200
Number of Trays/Lbs. Each	2/2	2/2	4/2	4/2	2/2	4/2	4/2	4/2	4/2	4/2	4/2	4/2	4/2	4/2	4/2	8/2	8/2
Material of Above	Aluminum																
Number of Trays/Lbs. Each	....	....	....	....	....	....	1/4	....	1/4	1/4	1/4	....	1/4	1/4	1/4	1/4	1/4
Material of Above	....	....	....	....	....	....	Aluminum	....	Aluminum			....	Aluminum				
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Number of Special Trays	2	2	4	4	2	4	5	4	5	5	5	4	5	5	5	9	9
COMPRESSOR																	
Location	Below																
Open or Sealed	Hermetically Sealed																
Reciprocating or Rotary	Reciprocating																
Refrigerant Used	Sulphur Dioxide															F-12	F-12
CONDENSER																	
Type	Finned Tube	Plate	Finned Tube		Plate	Finned Tube											
How Cooled	Fan	Natural Draft	Fan														
WEIGHT COMPLETE REFRIGERATOR																	
Net Weight (Lbs.)	185	200	235	269	187	270	300	320	295	305	325	270	320	330	345	600	650
Shipping Weight (Lbs.)	210	225	264	278	205	288	319	330	320	348	360	288	345	355	375	710	790
GUARANTEE																	
Cabinet, Shelves, Trays and Accessories	One Year																
Refrigeration System Only	One Year Plus Four Year Replacement Contract																
Controls	One Year																

KELVINATOR

Name of Manufacturer ..... Kelvinator Division, Nash Kelvinator Corporation, Detroit, Michigan

Model Number	A-3	A-4	SS-6	D-6	S-6	PS-6	R-6	M-6	S-8	M-8
Exterior Cabinet Finish	← Permalux →					Porcelain	← Permalux →			
CAPACITY (NEMA Rating)										
Net Food Storage, Cubic Feet	3.2	4.2	6¾	6¾	6¾	6¾	6¾	6¾	8¾	8¾
Total Shelf Area, Square Feet	6.8	8.8	11.8	11.8	11.8	11.8	12.6	12.6	16.8	16.8
Interior Finish	← Porcelain →									
Overall Height, Inches	46 9/16	51 5/16	58½	58½	58½	58½	58½	58½	63½	63½
Overall Width, Inches	23⅞	23⅞	31 7/16	31 7/16	31 7/16	31 7/16	31 7/16	31 7/16	34⅜	34⅜
Overall Depth, Inches	26⅜	26⅜	27½	27½	27½	27½	27½	27½	27½	27½
Inside Height, Inches	22⅛	26⅞	33⅛	33⅛	33⅛	33⅛	33⅛	33⅛	38⅛	38⅛
Inside Width, Inches	18 5/16	18 5/16	24 5/16	24 5/16	24 5/16	24 5/16	24 5/16	24 5/16	27¼	27¼
Inside Depth, Inches	15¾	15¾	15 3/16	15 3/16	15 3/16	15 3/16	15 3/16	15 3/16	15 3/16	15 3/16
Number of Doors	1	1	1	1	1	1	1	1	1	1
Insulation	← Kelvatex →									
ICE TRAYS										
Total Number of Trays	2	2	4	4	4	4	5	5	5	5
Total Weight of Ice (Lbs.)	4	4	9	8	8	8	12	12	12	12
Total Number of Cubes	32	32	84	64	64	64	99	99	99	107
Number of Trays/Lbs. Each	2-2	2-2	....	4-2	4-2	4-2	4-2	4-2	4-2	4-2
Material of Above	Aluminum Pop Out		....	← Aluminum Pop Out →						Aluminum Speedy-Cube
Number of Trays/Lbs. Each	....	....	4-2¼	....	....	....	....	....	....	....
Material of Above	....	....	Aluminum	....	....	....	....	....	....	....
Number of Trays/Lbs. Each	....	....	....	....	....	....	1-4	1-4	1-4	1-4
Material of Above	....	....	....	....	....	....	← Aluminum Desert Tray With Grid →			
Number of Special Trays	....	....	....	....	....	....	....	....	....	....
COMPRESSOR										
Location	← Below →									
Open or Sealed	← Sealed →									
Reciprocating or Rotary	← Reciprocating →									
Refrigerant Used	← Freon-12 →									
CONDENSER										
Type	← Finned →									
How Cooled	← Natural Draft →									
WEIGHT COMPLETE REFRIGERATOR										
Net Weight (Lbs.)	183	197	243	250	258	292	265	277	304	319
Shipping Weight (Lbs.)	233	243	306	313	321	355	333	345	380	400
GUARANTEE										
Cabinet, Shelves, Trays and Accessories	← One Year →									
Refrigeration System Only	← Five Year Protection Plan →									
Controls	← One Year →									

LEONARD

Name of Manufacturer	Leonard Division—Nash-Kelvinator Corp.						
Model Number	LSS-6	LD-6	LS-6	LR-6	LH-6	LS-8	LH-8
Exterior Cabinet Finish	Permalain						
CAPACITY (NEMA Rating)							
Net Food Storage, Cubic Feet	6¾	6¾	6¾	6¾	6¾	8¾	8¾
Total Shelf Area, Square Feet	11.8	11.8	11.8	12.6	12.6	16.8	16.8
Interior Finish	Porcelain						
Overall Height, Inches	58½	58½	58½	58½	58½	63½	63½
Overall Width, Inches	31 7/16	31 7/16	31 7/16	31 7/16	31 7/16	34⅜	34⅜
Overall Depth, Inches	26¾	26¾	26¾	26¾	26¾	26¾	26¾
Inside Height, Inches	33⅛	33⅛	33⅛	33⅛	33⅛	38⅛	38⅛
Inside Width, Inches	24 5/16	24 5/16	24 5/16	24 5/16	24 5/16	27¼	27¼
Inside Depth, Inches	15 3/16	15 3/16	15 3/16	15 3/16	15 3/16	15 3/16	15 3/16
Number of Doors	1	1	1	1	1	1	1
Insulation	Leonard Approved						
ICE TRAYS							
Total Number of Trays	4	4	4	5	5	5	5
Total Weight of Ice (Lbs.)	9	8	8	12	12	12	12
Total Number of Cubes	84	64	64	99	99	99	107
Number of Trays/Lbs. Each	....	4-2	4-2	4-2	4-2	4-2	4-2
Material of Above	....	Aluminum Pop Out					Aluminum Ice Popper
Number of Trays/Lbs. Each	4-2¼	....	....	....	....	....	....
Material of Above	Aluminum	....	....	....	....	....	....
Number of Trays/Lbs. Each	....	....	....	1-4	1-4	1-4	1-4
Material of Above	....	....	....	Aluminum Dessert Tray With Grid			
Number of Special Trays	....	....	....	....	....	....	....
COMPRESSOR							
Location	Below						
Open or Sealed	Sealed						
Reciprocating or Rotary	Reciprocating						
Refrigerant Used	Freon-12						
CONDENSER							
Type	Finned						
How Cooled	Natural Draft						
WEIGHT COMPLETE REFRIGERATOR							
Net Weight (Lbs.)	243	250	258	265	277	304	319
Shipping Weight (Lbs.)	306	313	321	333	345	380	400
GUARANTEE							
Cabinet, Shelves, Trays and Accessories	One Year						
Refrigeration System Only	Five Year Protection Plan						
Controls	One Year						

MAYFLOWER

Name of Manufacturer	Gale Products—Division of Outboard Marine and Mfg. Co., Galesburg, Ill.						
Model Number	MC-425	MR-651	MR-653	MC-655	MC-657	MS-659	MC-885
Exterior Cabinet Finish	Dulux						
CAPACITY (NEMA Rating)							
Net Food Storage, Cubic Feet	4.2	6.6	6.6	6.6	6.6	6.3	8.8
Total Shelf Area, Square Feet	9.0	11.6	12.5	13.8	14.1	14.7	17.7
Interior Finish	Porcelain						
Overall Height, Inches	51 1/8	59	59	59	59	59 1/8	62 5/8
Overall Width, Inches	24 3/8	30	30	30	30	30	31 7/8
Overall Depth, Inches	26 1/4	27	27	27	27	27	28
Inside Height, Inches	26 1/2	33	33	33	33	33	38 1/2
Inside Width, Inches	18 7/8	23 7/16	23 7/16	23 7/16	23 7/16	23 7/16	25 5/16
Inside Depth, Inches	16 9/16	16 1/16	16 1/16	16 1/16	16 1/16	16 1/16	16 11/16
Number of Doors	1	1	1	1	1	1	1
Insulation	Balsam Wool						
ICE TRAYS							
Total Number of Trays	2	1	3	3	3	5	5
Total Weight of Ice (Lbs.)	4.2	4.2	8.4	8.4	8.4	12.6	12.6
Total Number of Cubes	28	28	56	56	56	84	84
Number of Trays/Lbs. Each	2-2.1	....	2-2.1	2-2.1	2-2.1	4-2.1	4-2.1
Material of Above	Aluminum E-Z Out Tray						
Number of Trays/Lbs. Each	....	1-4.2	1-4.2	1-4.2	1-4.2	1-4.2	1-4.2
Material of Above	Double Width Aluminum E-Z Out Tray						
Number of Trays/Lbs. Each	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....
Number of Special Trays	2	1	3	3	3	5	5
COMPRESSOR							
Location	Below						
Open or Sealed	Sealed						
Reciprocating or Rotary	Reciprocating						
Refrigerant Used	Freon 12						
CONDENSER							
Type	Finned Tube						
How Cooled	Natural Draft						
WEIGHT COMPLETE REFRIGERATOR							
Net Weight (Lbs.)	208	257	261	271	274	280	334
Shipping Weight (Lbs.)	265	312	317	327	330	335	395
GUARANTEE							
Cabinet, Shelves, Trays and Accessories	One Year						
Refrigeration System Only	Five Year Protection Plan						
Controls	One Year						

NORGE

Model Number	D-621	D-622	M-623	M-661	M-662	S-663	D-901	DF-901	M-902	S-903	M-624-P	S-664-P	S-884-P	M-664-P
Name of Manufacturer	Norge Division, Borg-Warner Corporation, Detroit, Michigan													
Exterior Cabinet Finish	Norgloss										Porcelain	Porcelain	Porcelain	Porcelain
CAPACITY (NEMA Rating)														
Net Food Storage, Cubic Feet	6.29	6.29	6.22	6.64	6.64	6.55	9.06	9.06	9.02	9.00	6.22	6.55	8.61	6.64
Total Shelf Area, Square Feet	11.5	11.5	11.11	13.17	13.17	13.17	16.59	13.53	16.59	16.31	11.11	13.17	15.34	13.17
Interior Finish	Porcelain													
Overall Height, Inches	56¾	56¾	56¾	57¼	57¼	57¼	62½	62½	62½	62½	56¾	57¼	63 19/32	57¼
Overall Width, Inches	27½	27½	27½	29¾	29¾	29¾	33¾	33¾	33¾	33¾	27½	29¾	34⅞	29¾
Over Depth, Inches (Incl. Hdwe. and Air Circu. Space)	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 5/16	27 27/32	27 5/16
Inside Height, Inches (Not Incl. Debosses)	33¼	33¼	33¼	34½	34½	34½	38¼	38¼	38¼	38¼	33¼	34½	39⅜	34½
Inside Width, Inches	21¾	21¾	21¾	23⅛	23⅛	23⅛	27⅛	27⅛	27⅛	27⅛	21¾	23⅛	27¾	23⅛
Inside Depth, Inches (To Door Plate)	16⅛	16⅛	16⅛	15¾	15¾	15¾	16⅛	16⅛	16⅛	16⅛	16⅛	15¾	15	15¾
Number of Doors	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Insulation	Fiberglas													
ICE TRAYS														
Total Number of Trays	2	2	4	4	4	4	4	4	4	4	4	4	4	4
Total Weight of Ice (Lbs.)	6	6	8	8	8	10	10	10	10	12	8	10	12	8
Total Number of Cubes	42	42	56	56	56	70	70	70	70	84	56	70	84	56
Number of Trays/Lbs. Each	2-3	2-3	4-2	4-2	4-2	2-2	2-2	2-2	2-2	4-3	4-2	2-2	4-3	4-2
Material of Above	Aluminum													
Number of Trays/Lbs. Each	....	....	....	....	....	2-3	2-3	2-3	2-3	....	....	2-3	....	....
Material of Above	....	....	....	....	....	Aluminum				....	....	Aluminum	....	....
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Number of Special Trays	....	....	....	....	....	....	....	....	....	....	....	....	....	....
COMPRESSOR														
Location	Bottom													
Open or Sealed	Sealed													
Reciprocating or Rotary	Rotary													
Refrigerant Used	SO_2													
CONDENSER														
Type	Fin and Tube													
How Cooled	Natural Draft													
WEIGHT COMPLETE REFRIGERATOR														
Net Weight (Lbs.)	208	216	226	262	278	281	303	....	324	....	....	....	....	....
Shipping Weight (Lbs.)	249	257	267	307	323	326	368	*372	389	398	*325	*380	*456	*365
GUARANTEE														
Cabinet, Shelves, Trays and Accessories	One Year Warranty													
Refrigeration System Only	Five Year Protection Plan													
Controls	One Year Warranty													
Rollator Compressor	Five Year Protection Plan													

*Approximate

POTTER

Name of Manufacturer	Potter Refrigerator Corporation, 220 Delaware Avenue, Buffalo, New York					
Model Number	SD-910		SD-913		SD-915	
Exterior Cabinet Finish	Dulux					
CAPACITY (NEMA Rating)						
Net Food Storage, Cubic Feet	....		....		....	
Total Shelf Area, Square Feet	10.3		13		15.1	
Interior Finish	Porcelain					
Overall Height, Inches	58		63		63	
Overall Width, Inches	30½		30½		34½	
Overall Depth, Inches	25		25		25	
	*G.S.	*F.S.	*G.S.	*F.S.	*G.S.	*F.S.
Inside Height, Inches	16¾	10½	22¼	10½	22¼	10½
Inside Width, Inches	24	20	24	20	28	24
Inside Depth, Inches	16¼	15¼	16¼	15¼	16¼	15¼
Number of Doors	2		2		2	
Insulation	Balcelite					
ICE TRAYS						
Total Number of Trays	4		4		5	
Total Weight of Ice (Lbs.)	6.8		6.8		8.5	
Total Number of Cubes	84		84		105	
Number of Trays/Lbs. Each	4-1.7		4-1.7		5-1.7	
Material of Above	Aluminum with Rubber Grids					
Number of Trays/Lbs. Each	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....
Number of Trays/Lbs. Each	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....
Number of Special Trays	....	....	....	....	....	....
COMPRESSOR						
Location	Below					
Open or Sealed	Open					
Reciprocating or Rotary	Reciprocating					
Refrigerant Used	Freon-12					
CONDENSER						
Type	Finned Tube					
How Cooled	Fan					
WEIGHT COMPLETE REFRIGERATOR						
Net Weight, Lbs.	365		405		415	
Shipping Weight, Lbs.	410		460		475	
GUARANTEE						
Cabinet, Shelves, Trays and Accessories	One Year					
Refrigeration System Only	One Year					
Controls	One Year					

*G.S—General Storage Compartment. *F.S.—Frozen Storage Compartment.

STEWART-WARNER

Name of Manufacturer	Stewart-Warner Corporation, Chicago, Illinois							
Model Number	401	601	611	801	661	671	861	871
Exterior Cabinet Finish	Dulux							
CAPACITY (NEMA Rating)								
Net Food Storage, Cubic Feet	4.2	6.5	6.5	8.4	6.3*	6.3*	8.0†	8.0†
Total Shelf Area, Square Feet	9.0	11.2	11.2	16.0	11.5	11.5	16.5	16.5
Interior Finish	Porcelain				Porcelain and Aluminum			
Overall Height, Inches	49 1/2	57 3/4	57 3/4	61	59 11/16	59 11/16	62 7/16	62 7/16
Overall Width, Inches	23 7/8	30	30	33 3/4	30	30	33 3/4	33 3/4
Overall Depth, Inches (Inc. Hardware and Stock)	26 9/16	25 11/16	25 11/16	26 11/16	26 1/4	26 1/4	27 1/4	27 1/4
Inside Height, Inches	26 1/2	34	34	36 1/4	26 5/16	26 5/16	28 9/16	28 9/16
Inside Width, Inches	18 1/2	23 3/4	23 3/4	26 1/2	23 3/4	23 3/4	26 1/2	26 1/2
Inside Depth, Inches	15 5/8	14 13/16	14 13/16	15 13/16	15 5/16	15 5/16	16 1/16	16 1/16
Number of Doors	1	1	1	1	1	1	1	1
Insulation	Mineral Wool							
ICE TRAYS								
Total Number of Trays	2	3	3	3	3	3	5	5
Total Weight of Ice (Lbs.)	4	8	8	8	8	8	12	12
Total Number of Cubes	28	56	56	56	56	56	84	84
Number of Trays/Lbs. Each (Quick Release)	2-2	2-2	2-2	2-2	2-2	2-2	4-2	4-2
Material of Above	Aluminum							
Number of Trays/Lbs. Each (Wide Dessert)	None	1-4	1-4	1-4	1-4	1-4	1-4	1-4
Material of Above	Aluminum							
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	....
Material of Above	....	....	....	....	....	....	....	....
Number of Special Trays	....	....	....	....	....	....	....	....
COMPRESSOR								
Location	Below							
Open or Sealed	Sealed							
Reciprocating or Rotary	Reciprocating							
Refrigerant Used	Freon-12							
CONDENSER								
Type	Spiral Finned Condenser							
How Cooled	Air							
WEIGHT COMPLETE REFRIGERATOR								
Net Weight (Lbs.)	220	257	274	306	280	298	312	327
Shipping Weight (Lbs.)	260	298	315	351	327	341	363	379
GUARANTEE								
Cabinet, Shelves, Trays and Accessories	One Year							
Refrigeration System Only	One Year and Four Additional Years							
Controls	One Year							

*This Net Food Storage Capacity Includes a 1.1 Cu. Ft. Frozen Food Compartment Which Measures 6 3/4" High x 22" Wide x 12 3/4" Deep.

†This Net Food Storage Capacity Includes a 1.3 Cu. Ft. Frozen Food Compartment Which Measures 6 3/4" High x 24 3/4" Wide x 12 3/4" Deep.

WESTINGHOUSE

Name of Manufacturer..... **Westinghouse Electric & Manufacturing Co., Mansfield, Ohio**

Model Number	U-3-41	AS-4-41	AS-6-41	S-6-41	B-6-41	BP-6-41	H-6-41	D-7-41	B-9-41	M-7-41	DP-7-41	H-9-41	M-9-41	MP-9-41	M-13	MP-13	M-19	MP-19
Exterior Cabinet Finish	Dulux	Dulux	Dulux	Dulux	Dulux	Porcelain	Dulux	Dulux	Dulux	Dulux	Porcelain	Dulux	Dulux	Porcelain	Dulux	Porcelain	Dulux	Porcelain
CAPACITY (NEMA Rating)																		
Net Food Storage, Cubic Feet	3.0	4.25	6.00	6.25	6.25	6.25	6.2	7.0	9.3	7.0	7.0	9.0	9.3	9.3	13.22	13.22	19.34	19.34
Total Shelf Area, Square Feet	5.5	8.53	10.6	11.3	14.0	14.0	12.4	14.0	17.3	14.3	14.0	15.6	19.6	19.6	26.4	26.4	38.25	38.25
Interior Finish	← Porcelain →																	
Overall Height, Inches	34½	51¼	57⅝	57⅝	57⅝	57⅝	57⅝	57⅝	63⅝	57⅝	57⅝	63⅝	63⅝	63⅝	65 7/16	65 7/16	67 15/16	67 15/16
Overall Width, Inches	24	24	28¾	30¼	30¼	30¼	30¼	30¼	32¼	30¼	30¼	32¼	32¼	32¼	45	45	50	50
Overall Depth, Inches	26½	24¾	25 5/16	24 15/16	24 15/16	24 15/16	24 15/16	25 5/16	26 5/16	25 5/16	25 5/16	26 5/16	26 5/16	26 5/16	29¼	29¼	31¾	31¾
Inside Height, Inches	18	27⅛	33	33	33	33	33	33⅛	38	33⅛	33⅛	38	38	38	37	37	39½	39½
Inside Width, Inches	19½	19	22½	24	24	24	24	24	26	24	24	26	26	26	37½	37½	43½	43½
Inside Depth, Inches	15½	14 15/16	14 15/16	14 15/16	15 11/16	15 11/16	15 11/16	15¾	17	15¾	15¾	17	17	17	17½	17½	20	20
Number of Doors	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2
Insulation	Special ← "Fiberglas" →																	
ICE TRAYS																		
Total Number of Trays	2	2	3	3	5	5	5	5	5	5	5	5	5	5	9	9	9	9
Total Weight of Ice (Lbs.)	4	4	7¼	7¼	11	11	11	12	11	12½	12	11	12½	12½	21	21	21	21
Total Number of Cubes	28	28	64	64	92	92	92	104	92	106	104	92	106	106	156	156	156	156
Number of Trays/Lbs. Each	2-2	2-2	2-2	2-2	4-2	4-2	4-2	2-2	4-2	1-2	2-2	4-2	1-2	1-2	8-2	8-2	8-2	8-2
Material of Above	← All Metal, Quick Release, Selecto Cube →																	
Number of Trays/Lbs. Each	....	....	1-3¼	1-3¼	1-3¼	1-3¼	1-3¼	1-5	1-3¼	1-5	1-5	1-3¼	1-5	1-5	1-5	1-5	1-5	1-5
Material of Above	← All Metal Multi-Service Tray →																	
Number of Trays/Lbs. Each	....	....	....	....	....	....	....	2-1⅞	....	3-1⅞	2-1⅞	....	3-1⅞	3-1⅞	....	....	....	....
Material of Above	← All Metal Ejecto Cube With Express Tray Release →																	
Number of Special Trays	2	2	2	2	4	4	4	4	4	4	4	4	4	4	8	8	8	8
COMPRESSOR																		
Location	← Bottom Mounted →																	
Open or Sealed	← Hermetically Sealed →																	
Reciprocating or Rotary	← Vertical Reciprocating →																	
Refrigerant Used	← Freon (F-12) →																	
CONDENSER																		
Type	← Plate Type →																	
How Cooled	← Natural Convection →																	
APPROXIMATE WEIGHT COMPLETE REFRIGERATOR																		
Net Weight (Lbs.)	185	214	250	270	280	300	286	285	320	310	350	373	360	387	580	630	620	650
Shipping Weight (Lbs.)	247	271	315	340	345	375	356	305	420	375	385	443	387	468	787	825	900	940
GUARANTEE																		
Cabinet, Shelves, Trays and Accessories	← One Year →																	
Refrigeration System Only	← One Year Plus Additional Four Year Replacement Contract →																	
Controls	← One Year →																	

	COPELAND					EVERS		
Name of Manufacturer	Copeland Refrigeration Corp., Sidney, Ohio					Evers Hardware Co.,* Denton, Texas		
Model Number	A-45	A-66	AD-66	AD-87	AD-120	CT-6EO	CT-6ES	E-8
Exterior Cabinet Finish	Dulux					Dulux		
Retail Installed Price	$99.00	$119.00	$165.00	$189.00	$369.00	$175.00	$200.00	$245.00
CAPACITY (NEMA Rating)								
Net Food Storage (Cu. Ft.)	4.5	6.7	6.6	8.7	12.24	6.2	6.2	8.75
Total Shelf Area (Sq. Ft.)	9.1	13.75	12.65	14.06	19.10	11.0	11.0	17.5
CABINET								
Interior Finish	Porcelain					Porcelain		
Overall Height (Inches)	50⅞	58¾	58¾	62⅜	63	57⅜	57⅜	62
Overall Width (Inches)	24⅜	30	30	31⅞	42	30	30	32
Overall Depth (Inches)	28¼	28¼	28¼	29⅜	24	23	23	26½
Inside Height (Inches)	26½	33	33	38¼	37⅞	32¼	32¼	34
Inside Width (Inches)	18⅞	23⅜	23⅜	25⅜	35½	23½	23½	25¼
Inside Depth (Inches)	16½	16⅛	16⅛	16¾	16⅝	15½	15½	16
Number of Doors	1	1	1	1	2	1	1	1
Insulation	Balsam Wool					Balsam Wool		
ICE TRAYS								
Total Number of Trays	2	4	4	6	8	5	5	4
Total Weight of Ice (Lbs.)	4½	6¼	9¾	12	16	10.3	10.3	11.3
Total Number of Cubes	42	84	122	154	112	119	119	105
Number of Trays/Lbs. Each	2—2¼	4—1½	2—3⅜	2—3⅜	6—2	1—3⅔	1—3⅔	2—1½
Material of Above	Aluminum					Aluminum		
Number of Trays/Lbs. Each	....	....	2—1⅝	2—1½	....	4—1⅔	4—1⅔	1—3½
Material of Above	....	....	Aluminum		....	Aluminum		
Number of Trays/Lbs. Each	....	....	....	2—1⅝	....	....	....	1—4.8
Material of Above	....	....	....	Alum.	....			Alum.
COMPRESSOR								
Location	Below					Below		
Open or Sealed	Sealed (Field Serviceable)					Open	Sealed	
Reciprocating or Rotary	Reciprocating					Reciprocating		
Refrigerant Used	"Freon-12"					SO_2	"Freon-12"	
CONDENSER								
Type	Static					Two-Row Bush		....
How Cooled	Draft				Fan	Forced Draft Air Cooled		
WEIGHT COMPLETE REFRIGERATOR								
Net Weight (Lbs.)	....	....	....	....	....	342	342	365
Shipping Weight (Lbs.)	....	....	....	....	....	401	401	430
GUARANTEE								
Cabinet, Shelves, Trays & Accessories	1 Year					1 Year		
Refrigeration System Only	5-Year Protection Plan					5-Year Protection Plan		
Controls	1 Year					1 Year		

*Cabinets and open-type condensing units manufactured by Gale Products, sealed units by Universal Cooler. Each model equipped with 1.85-gallon water tank providing 2 to 4 gallons of cooled drinking water per hour.

DAYTON

Name of Manufacturer	Heinz & Munschauer, Buffalo, N. Y.								
Model Number	341	441	D615	D741	C741	D841	C841	CS841	SD1041
Exterior Cabinet Finish	Dulux								
Retail Installed Price									
CAPACITY (NEMA Rating)									
Net Food Storage (Cu. Ft.)	3.00	4.00	6.15	7.05	7.05	8.43	8.43	8.43	10.00
Total Shelf Area (Sq. Ft.)	6.50	8.40	10.50	12.44	12.96	15.66	16.38	16.53	19.91
CABINET									
Interior Finish	Porcelain								
Overall Height (Inches)	34½	50⅛	55½	59	59	65	65	65	64
Overall Width (Inches)	24	23¼	30¼	30¼	30¼	30¼	30¼	30¼	37¾
Overall Depth (Inches)	22¾	21¾	25¼	25¾	25¾	25¾	25¾	25¾	25½
Inside Height (Inches)	17	27½	32	32	32	38	38	38	39
Inside Width (Inches)	20	19¼	24	24	24	24	24	24	31½
Inside Depth (Inches)	16¼	14	14½	16½	16½	16½	16½	16½	14¾
Number of Doors	1	1	1	1	1	1	1	1	2
Insulation	2"	2"	3"	3"	3"	3"	3"	3"	3"
ICE TRAYS									
Total Number of Trays	2	2	4	4	5	6	7	6	7
Total Weight of Ice (Lbs.)	4	4	8	8	12	12	16	16	16
Total Number of Cubes									
Number of Trays/Lbs. Each									
Material of Above	Aluminum								
Number of Trays/Lbs. Each									
Material of Above									
Number of Trays/Lbs. Each									
Material of Above									
Number of Special Trays	....	....	....	2	5	4	7	6	7
COMPRESSOR									
Location	Below								
Open or Sealed	Hermetic								
Reciprocating or Rotary	Reciprocating								
Refrigerant Used	"Freon-12"								
CONDENSER									
Type	Finned Tube								
How Cooled	Forced Draft								
WEIGHT COMPLETE REFRIGERATOR									
Net Weight (Lbs.)	200	213	310	347	350	370	390	400	430
Shipping Weight (Lbs.)	235	263	350	387	392	420	440	445	485
GUARANTEE									
Cabinet, Shelves, Trays & Accessories									
Refrigeration System Only	5 Years								
Controls	1 Year								

	GILFILLAN				O'KEEFE				
Name of Manufacturer	Gilfillan Bros., Inc., Los Angeles, Calif.				O'Keefe & Merritt, Los Angeles, Calif.				
Model No.	421-C	641-C	641-D	891-D	4540	640	840	9640	9840
Exterior Cabinet Finish	Dulux				Lacquer				
Retail Installed Price									
CAPACITY (NEMA Rating)									
Net Food Storage (Cu. Ft.)	4.23	6.45	6.45	8.91	4.8	6.7	8.0	6.7	8.0
Total Shelf Area (Sq. Ft.)	8.3	13.8	12.7	16.1	10.6	14.2	18.5	14.2	18.5
CABINET									
Interior Finish	Porcelain				Porcelain				
Overall Height (Inches)	50⅞	58¾	58¾	62⅜	53	59	59	59	59
Overall Width (Inches)	24⅜	30	30	31⅞	26	31	34	31	34
Overall Depth (Inches)	26¾	28	28	28½	25	25	25	25	25
Inside Height (Inches)	25⅞	23⅜	23⅜	37¾	29	31	33	31	33
Inside Width (Inches)	18⅞	23½	23½	25⅜	19	24	27	24	27
Inside Depth (Inches)	16	15½	15½	16	15½	16	16	16	16
Number of Doors	1	1	1	1	1	1	1	1	1
Insulation	Balsam Wool				Dry Zero				
ICE TRAYS									
Total Number of Trays	2	4	4	6	3	5	5	4	4
Total Weight of Ice (Lbs.)	5	6⅜	8⅜	11⅜	6	12	12	8	8
Total Number of Cubes	42	56	84	112	84	118	118	96	96
Number of Trays/Lbs. Each	2—2½	1—1⅞	3—1⅞	2—1½	....	....	....	....	....
Material of Above	Aluminum				....	....	....	....	....
Number of Trays/Lbs. Each	....	3—1½	1—3	3—1⅞					
Material of Above		Aluminum							
Number of Trays/Lbs. Each	....	....	....	1—3					
Material of Above				Alum.					
Number of Special Trays	....	1	3	3	....	2	2	....	....
COMPRESSOR									
Location	Below								
Open or Sealed	Sealed				Sealed				
Reciprocating or Rotary	Reciprocating				Reciprocating				
Refrigerant Used	"Freon"				"Freon"				
CONDENSER									
Type	Static				....	....	....	....	....
How Cooled	Natural Draft				....	....	....	....	....
WEIGHT COMPLETE REFRIGERATOR									
Net Weight (Lbs.)					235	337	366	337	366
Shipping Weight (Lbs.)	250	340	355	410	300	403	434	403	434
GUARANTEE									
Cabinet, Shelves, Trays & Accessories	1 Year				1 Year				
Refrigeration System Only	5-Year Plan				1 Year Plus 4-Year Warranty				
Controls	1 Year								

	MONTGOMERY-WARD									JEWETT
Name of Manufacturer	Montgomery Ward & Co., Chicago, Ill.									Jewett Refrigerator Co., Inc., Buffalo, N. Y.
Model Number	451	651	661	671	691	771	881	781	981	88
Exterior Cabinet Finish	Dulux									Dulux
Retail Installed Price										$259.50
CAPACITY (NEMA Rating)										
Net Food Storage (Cu. Ft.)	4.1	6.25	6.5	6.5	6.45	7.01	8.25	7.01	9.5	8.8
Total Shelf Area (Sq. Ft.)	8.66	11.25	11.25	11.25	13.9	14.5	16.25	15.31	18.75	18.0
CABINET										
Interior Finish	Porcelain									Porcelain
Overall Height (Inches)	50¼	57	57	57	57⅝	57⅝	61½	57⅝	63⅝	60½
Overall Width (Inches)	24	30½	30⅞	30⅞	29¼	30¾	32⅜	30¾	32¾	29¼
Overall Depth (Inches)	21¾	21⅞	22½	22½	24⅝	24⅝	23⅝	24⅝	26	26¼
Inside Height (Inches)	27½	32⅞	32⅞	32⅞	33	33	36⅜	33	38	
Inside Width (Inches)	17⅝	24	24	24	22½	24	25½	24	26	
Inside Depth (Inches)	15¾	14¾	14¾	14¾	15⅞	15⅞	15⅝	15⅞	17¼	
Number of Doors	1	1	1	1	1	1	1	1	1	2
Insulation	Thermex									3½"
ICE TRAYS										
Total Number of Trays	2	4	4	3	3	5	5	5	5	4
Total Weight of Ice (Lbs.)	4	7	8	8	8	12	12	12	12	8
Total Number of Cubes	42	72	72	68	64	96	100	96	96	56
Number of Trays/Lbs. Each	2—2	4—1¾	4—2	2—2	2—2	4—2	4—2	4—2	4—2	2
Material of Above	Aluminum									Aluminum
Number of Trays/Lbs. Each	....	....	....	1—4	1—4	1—4	1—4	1—4	1—4	
Material of Above	....	....	....	Aluminum						
Number of Special Trays	....	....	....	3	3	5	5	5	5	
COMPRESSOR										
Location	Below									Bottom Rear
Open or Sealed	Sealed									Sealed
Reciprocating or Rotary	Reciprocating									Reciprocating
Refrigerant Used	"Freon-12"									"Freon-12"
CONDENSER										
Type	Fin									Tubular
How Cooled	Natural Draft									Fan
WEIGHT COMPLETE REFRIGERATOR										
Net Weight (Lbs.)										385
Shipping Weight (Lbs.)	245	303	310	325	367	385	380	400	470	
GUARANTEE										
Cabinet, Shelves, Trays & Accessories	1 Year									1 Year
Refrigeration System Only	5 Year Protection Plan									5-Year Service Plan
Controls	1 Year									1 Year